

ZAK, Czesław

Water balance of the Kielce Voivodeship. Kwartalnik geol
6 no.4:809-811 '62.

1. Świątokrzyska Stacja Terenowa, Instytut Geologiczny,
Warszawa.

ZAK, Czeslaw

Tectonic profile of the Gory Pieprzowe Mountains. Kwartalnik
geol 5 no.4:1002 '61.

1. Swietokrzyska Stacja Terenowa, Instytut Geologiczny, Warszawa.

ZAK, Czesław

Geological research and the economic development of the Gory
Swietokrzyskie Mountains region. Przegl geol 10 no.8:388-392 Ag
'62.

1. Swietokrzyska Stacja Terenowa, Instytut Geologiczny, Warszawa.

Zak, Cecylia

Adsorption of staphylococcal bacteriophages on bacteriological filters.
Med. dosw. mikrob. 11 no.1:39-42 1959.

1. Z Zakładu Bakteriologii Państwowego Zakładu Higieny w Warszawie.
(MICROCOCCUS PYOGENES,
bacteriophage, filter adsorption (Pol))
(BACTERIOPHAGE,
of Micrococcus pyogenes, filter adsorption (Pol))

ZAK, CZESLAW

POLAND / Chemical Technology. Chemical Products and H
Their Application. Ceramics. Glass. Binding
Materials. Concretes.

Abs Jour: Ref Zhur-Khimiya, No 19, 1958, 65199

Author : Zak Czeslaw

Inst : -

Title : The Kelets Area as a Raw-Material Base for the
Production of Binding Materials

Orig Pub: Cement. Wapno. Gips, 1958, 14, No 2, 30-33

Abstract: Described are the rich deposits, located in the
Kelets area, of high-quality limestones and gyps-
eous stone, which are the raw material for the
production of cement, lime and gypsum.

Card 1/1

ZAK, D.L.

PLEASE DO NOT REPLY TO THIS

504,742.15

Dependently go materials listed by you materials, can be: Essential clothing
material (Handbook on Machine-Building Materials, Vol. 6: Essential Materials
Moscow, Mirogiz, 1960, 723 p. Illustrations inserted. 46,000 copies printed.

Moscow, U.S.S.R., 1960. 723 p. Litho and printed.

[illegible]

Information Li cature (MAGNET): 1-800-852-8525

PROPERTY: This book is loaned for teaching and construction purposes. All persons interested in the progress of building materials

COVERED: This is the fourth of a 4-parties Handbook on Synthetic Building Materials & discusses heat-stable materials suitable for use in building roofing and other construction applications. Textiles, wood, and glass materials and laminates of these materials are reviewed and data on their physical and mechanical properties are presented. Recommendations are given for their use. Some 100 illustrations are included. Information follows industrial companies.

1000

Handbook on Machine-Building Materials (Cont.)

80V/4419

Textile fibers	508
Yarn	510
Threads	512
Cord, string, and rope	514
Cloths	522
Leatherette fabrics	547
Drive belts	547
Fire hoses	550
Tape	550
Wadding materials	554
Felt	556
Ch. IX. Asbestos and Asbestos Articles (Zak, D.L., Engineer)	559
Asbestos and its properties	559
Textile articles	561
Asbestos fiber and cord	561
Asbestos cloth	562
Asbestos covers and tubes	562
Asbestos insulating tapes	564
Asbestos fiber	564

Card 10/15

Handbook on Machine-Building Materials (Cont.)

SOV/4419

Sterilizing plates	565
Sheet asbestos materials	565
"Paronit" [A packing material made of asbestor fiber, and filled and vulcanized synthetic rubbers]	565
"Electronit" [Asbestos-rubber insulating material]	568
Asbestos-steel sheets	568
Reinforced linen	568
Asbestos board	568
Asbestos papers	569
Asbestos and non-asbestos packings	571
Special packings	571
Asbestos friction articles	581
Typical methods of testing asbestos articles	586
Ch. X. Cast Stone, Ceramics, Porcelain (Doronenkov, I.M., Engineer; I. Ya. Klinov, Professor, Doctor of Technical Sciences)	589
General information	589
Characteristics of cast stone articles	589
The chemical resistance of cast stone	590
Card 11/15	

AFANAS'YEV, A.N., kand.tekhn.nauk; BASOV, M.I., kand.tekim.nauk; BELO-
VITSKIY, A.A., inzh.; VESELOVSEIY, V.S., doktor tekhn.nauk, prof.;
GORELIK, B.I., kand.tekhn.nauk; DOROMENKOV, I.M., inzh.; ~~ZAK, D.L.~~,
inzh.; IVONIN, V.I., inzh. [deceased]; ELINOV, I.Ya., doktor tekhn.
nauk, prof.; LEVIN, A.N., doktor tekhn.nauk, prof.; LEVIN, S.N.,
kand.tekhn.nauk; LEPETOV, V.A., kand.tekhn.nauk; LEONT'YEV, N.L.,
doktor tekhn.nauk, prof.; LOKHINA, P.I., kand.tekhn.nauk; MATVEYEVA,
L.V., inzh.; MIKHAYLOV, A.M., doktor tekhn.nauk, prof.; MUDRIK, Eh.I.,
kand.tekhn.nauk; PERLIN, S.M., inzh.; SALAZKIN, K.A., kand.tekhn.nauk;
SIL'VESTROVICH, S.I., kand.tekhn.nauk; SOKOLOVSKAYA, S.I., kand.
tekhn.nauk; ZHENKIN, A.A., inzh.; KHUKHRYANSKIY, P.N., doktor tekhn.
nauk, prof.; SHEYDEMAN, I.Yu., kand.tekhn.nauk; YASHUNSKAYA, F.I.,
kand.tekhn.nauk; POGODIN-ALEKSEYEV, G.I., doktor tekhn.nauk, prof.,
red.; RYBAKOVA, V.I., inzh., red.isd-va; SOKOLOVA, T.F., tekhn.red.

[Handbook on materials used in the manufacture of machinery] Spra-
vochnik po mashinostroitel'nyim materialam; v chetyrekh tomakh. Pod
red.G.I.Pogodina-Alekseeva. Moskva, Gos.nauchno-tekhn.isd-vo ma-
shinostroit.lit-ry. Vol.4. [Nonmetallic materials] Nemetalli-
cheskie materialy. Red.toma A.N.Levin. 1960. 723 p.

(MIRA 13:7)

(Machinery industry)

(Nonmetallic materials)

SOV/138 -58-4-1/13

AUTHOR: Zak, D. L.

TITLE: Friction Products Made of Asbestos. (Friksionnyye asbestovyye izdeliya).

PERIODICAL: Kauchuk i Rezina, 1958, Nr.4. pp. 1 - 3. (USSR).

ABSTRACT: Friction products, made of asbestos, are used in various branches of industry, e.g. in the manufacture of brake cover plates, brake shoes, brake bands and couplings which are used in the coupling mechanism of cars, tractors, combines, aeroplanes, drillers etc. In 1957, 90.8% of all brake cover plates were moulded and rolled. Brake items manufactured from lower grade asbestos amounted to 36.3% of all manufactured brake bands. The Tambovsk Rubber - Asbestos Factory, and the Yaroslavl' Factory for Asbestos Articles have introduced a method for the simultaneous manufacture of adhesives and pastes which shortens the time of preparation considerably. A vacuum mixer which makes it possible to manufacture simultaneously adhesives and pastes, and also to dry them to the required petrol content, was made during 1957. Earlier investigations were carried out by the Central Research Laboratory for Asbestos Goods (TSNILAS) of the Ministry for Chemical Industry

Card 1/3

Friction Products Made of Asbestos.

SOV/135-58-4-1/13

(Tsentral'naya nauchno-issledovatel'skaya laboratoriya asbestovykh izdeliy (TSNILAS) ministerstva khimicheskoy promyshlennosti) on the manufacture of asbestos plastic pastes in covered mixers by the dry method, but did not give satisfactory results. At present, many organizations in the USSR and abroad are endeavouring to substitute the glueing of asbestos friction products to the metallic discs by fixing them with special adhesives. The TSNILAS, together with the Gor'kiy Car Factory (Gor'kovskiy avtomobil'nyy zavod) are further investigating these methods. The TSNILAS and the Central Research Institute of Railway Transport (Tsentral'nyy nauchno-issledovatel'skiy institut zheleznodorozhnogo transporta) manufacture new non-metallic brake shoes consisting of asbestos fibre, a rubber binder and thermostable fillers. These new brake shoes will be tested extensively during 1958. Results of work carried out on the manufacture of asbestos fibres by the "wet" method show that these textile asbestos goods have the characteristics required by GOST and TU standards, and that their quality is equal to those made of ordinary asbestos fibres. Further research work of the TSNILAS, which

Card 2/3

Friction Products Made of Asbestos.

SOV/138 -58-4-1/13

will be carried out in conjunction with the Friction Laboratories of the Institute of Engineering of the Soviet Academy of Sciences (Laboratoriya treniya instituta mashinovedeniya Akademii nauk SSSR), concerns a new thermostable friction material "Retinaks". The Leningrad Asbestos Factory (Leningradskiy asbestovyy zavod) is working on the development of a new friction material "Frivanit" which does not require press forms. A 2.5 to three-fold increased output (compared with 1956) of these asbestos goods is envisaged for 1958.

Card 3/3

1. Asbestos materials--Production Applications 2. Asbestos materials--

ZAK, D.L.

Development of the asbestos products industry between the
20th and 22d Congresses of the CPSU. Kauch. i rez. 20
no.9:5-7 S '61. (MIRA 15:2)

1. Gosudarstvennyy komitet Soveta Ministrov SSSR po khimii.
(Asbestos)

KADZHAYA, D.I., kand.tekhn.nauk; ZAK, D.YA., inzh.

Efficient designs of reinforced concrete retaining walls.
Bet. 1 shel.-bet. no.9:400-403 S'60. (MIRA 13:9)
(Retaining walls)

SLADKI, Edward; GROT-SWIEZAWSKA, Ewa; ZAK, Edward

On possible azulene therapy of chronic inflammations of the large intestine. Polski tygod.lek.15 no.21:784-787 23 Wy '60.

1. Z I Kliniki Chorob Wewnętrznych A.M. w Łodzi; kierownik: prof.
dr nauk med. J.W.Grott.
(CYCLOPARAFFINS ther)
(COLITIS ther)

KOZAR, Zbigniew; SLADKI, Edward; Zak, Edward

Clinical aspects of chronic trichinellosis in people. II.
Studies in patients with chronic diseases of the motoric
system. Wiad. parazyt. 10 no.6:665-671 '64

1. Laboratory of Antropozoonoses of the Department of Para-
sitology, Polish Academy of Sciences, and Department of
Parasitology, Veterinary Faculty, Wrocław, Poland.

SWIERZAWSKA, Ewa; ZAK, Edward

Rare cases of goit. Pol. arch. med. wewnet. 34 no.4:481-488
1962.

1. Z I Kliniki Chorob Wewnętrznych Akademii Medycznej w Łodzi
(Kierownik prof. dr. n. med. J. P. Grott).

ZAK, E.G.; BESKOV, S.D.

Investigating the phosphates of certain organic bases for use
as corrosion inhibitors. Uch. zap. MGPI no.146:25-40 '60.

(MIRA 15:4)

(Phosphate coating) (Organic compounds)
(Corrosion and anticorrosives)

ZAK, E.G.; BESKOV, S.D.

Use of urea as inhibitor of atmospheric corrosion. Uch. zap.
MGPI no.146:154-158 '60. (MIRA 15:4)
(Urea) (Corrosion and anticorrosives)

ACCESSION NR: AR4015695

8/0081/63/000/023/0355/0356

SOURCE: RZh. Khimiya, Abs. 23K87

AUTHOR: Zak, E. G.; Balazhin, S. A.; Baskov, S. D.

TITLE: The protection of steel parts with volatile inhibitors

CITED SOURCE: Uch. zap. Mosk. gos. ped. in-t im. V. I. Lenina, no. 181, 1962, 94-107

TOPIC TAGS: corrosion, corrosion inhibitor, steel corrosion, rust, volatile corrosion inhibitor, parkerizing, cold parkerizing, dicyclohexylammonium nitrite, ethanolamine carbonate

ABSTRACT: Cold parkerizing (rustproofing), which decreases the rate of atmospheric corrosion of machine parts, does not insure long-term protection against atmospheric corrosion. Cold parkerizing as a method of preliminary treatment of a surface can suitably be combined with other protective methods, especially with vapor phase protection. As vapor phase inhibitors, substances with low vapor pressure and a large induction period can be used, since the slow development of corrosion on a parkerized surface makes it possible for an inhibitor of low volatility to form a protective atmosphere and insure further protection of the parts. The

Card 1/2

ACCESSION NR: AR4015695

layer of iron phosphates which are formed on the surface of the iron during parkerizing absorbs the inhibitors and insures their further protective action, i. e., this film plays a role analogous to that of iron oxides and hydroxides. For protection against atmospheric corrosion of hermetically sealed steel parts with a complicated inner structure (welded edges, thread, etc.) the following inhibitors and methods of application are recommended: 1) introduction of inhibitors in small bags into the inner part of the objects; in this connection, the following inhibitors are recommended for vapor phase protection: a) a mixture of dicyclohexylammonium nitrite with ammonium carbonate (1:4) in a quantity of $10\text{g}/\text{m}^3$ of object volume, and b) mixture of ammonium carbonate with sodium nitrite (1:1.5) in a quantity of $20\text{-}30\text{g}/\text{m}^3$ of object volume; 2) introduction into the inner part of the object of paper saturated with solutions of the inhibitors, which assure not only contact but also vapor-phase protection; one can recommend kraft-paper saturated with a 5% aqueous solution of dicyclohexylammonium nitrite or a 10% aqueous solution of a mixture of dicyclohexylammonium nitrite with monoethanolamine carbonate (1:1.5) in a quantity of $3\text{-}4\text{m}^2$ of paper/ m^3 capacity; 3) washing the walls of the object with a 5% alcohol-water (7:3) solution of dicyclohexylammonium nitrite. Inhibitory emulsions cannot be recommended for the protection of hermetically sealed steel parts since their protective properties appear only during aeration of the surface of the object. 11 ref. Authors' summary

Card 2/2

DATE ACQ: 09Jan64

SUB CODE: MM

ENCL: 00

188310

25078

S/081/61/000/010/011/029

B117/E206

AUTHORS: Zak, E. G., Beskov, S. D.

TITLE: Investigation of phosphates of some organic bases as corrosion inhibitors

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 10, 1961, 288, abstract 10M225 (10I225). ("Uch.zap./ Mosk. gos. ped. in-ta im. V. I. Lenina", no. 146, 1960, 25 - 40)

TEXT: It was established that di- and triguanidine phosphates are effective corrosion inhibitors in neutral and weakly acid media and also inhibit atmospheric corrosion. The protective effect of phosphates of organic bases may be explained by the joint effect of phosphate ions and organic bases developing due to the hydrolysis of phosphate salts.

[Abstracter's note: Complete translation.]

Card 1/1

25077

S/081/61/000/010/010/029

B117/B207

188310

AUTHORS: Zak, E. G., Baskov, S. D.

TITLE: The use of urea as inhibitor of atmospheric corrosion

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 10, 1961, 288, abstract
104222 (101222). ("Uch. zap. /Mosk. gos. ped. in-ta im.
V. I. Lenina", no. 146, 1960, 154-158)

TEXT: Survey. The protective effect of the urea - NaNO_2 mixture is
stated to be due to the joint action of nitrite ions and hydrolysis
products of urea. 11 references are listed. [Abstracter's note:
Complete translation.]

Card 1/1

SMIRNOV, K.M.; BAKULIN, S.A.; GOLOVINA, L.L.; ZAK, E.Ya.; KOCAN, S.D.

Effect of competitive athletics on gas exchange, pulse rate, arterial pressure and work capacity in humans. Fiziol.skur. 45 no.3:289-294 '59. (MIRA 12:11)

1. From the Postgraduate Medical Institute, Leningrad, and the Central Institute of Physical Culture, Moscow.

(ATHLETICS,

blood pressure, pulse rate, resp. & work capacity
in athletes (Rus))

(BLOOD PRESSURE,

in athletes (Rus))

(RESPIRATION,

same)

(WORKING,

capacity in athletes (Rus))

(PULSE,

in athletes (Rus))

ZAK, F.

Improvement of the quality of Edam cheese in bricks and causes of some of the shortcomings. (Supplement) p. 1. (PRUMYSL POTRAVIN, Vol. 7, No. 4, 1956, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 12, Dec 1957. Uncl.

ZAK, F.

ZAK, F. The national exposition of soft cheeses. p. 380. Vol. 7, no. 6,
1956. PRUMYSL POTRAVIN. Praha, Czechoslovakia.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

NEUGEBAUEROVA, L. ; KOTASEK, A.; ZAK.F.

Listeriosis of the mother and fetus. Cesk. gynek. 29 no.4:
266-270 My'64

l. II. det. klin. fakulty det. lek. KU [Karlovy university]
v Praze (prednosta: prof. dr. J.Houstek, DrSc.); a I. gyn.-
por. klin. fak. vseob. lek. KU [Karlovy university] v Praze
(prednosta: prof. dr. K.Klaus, DrSc.)

MALEK, P.; KOLC, J.; ZASTAVA, Vl.; ZAK, F.; PELESKA, B.

Fixation of tetracycline antibiotics in the focus of myocardial infarct.
Cas. lek. cesk. 101 no.32/33:981-984 17 Ag '62.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel prof.
dr. B. Spacek. -- II. patologickoanatomicky ustav KU v Praze, prednosta
prof. dr. V. Jedlicka.

(TETRACYCLINE)

(MYOCARDIAL INFARCT)

2 A K, F
KABELKA, M.; KAFKA, V.; KLEINT, Z.; ZAK, F.

Primary localized tumors of the pleura (mesotheliomas) in childhood; report of 3 cases. Cesk. pediat. 11 no.12:881-887 Dec 56.

1. Klinika Pediatricke Chirurgie KU v Praze, prednosta doc. Dr. V. Kafka. II. Chirurgicka Klinika, Prednosta Akademik J. Divis. II. Pathologicko-Anatomicky ustav KU v Praze, prednosta prof. Dr. V. Jeklicka.

(PLEURA, neoplasms

mesothelioma, in child. (Cz))

(MESOTHELIOMA, case reports

pleura, in child. (Cz))

KLEINT, Z.; KAFKA, V.; MATEJOVSKY, M.; VLCEK, K.; ZAK, F.

Endobronchial sarcoma in three-year-old child. Cesk. pediat.
11 no.12:895-900 Dec 56.

1. II. Chirurgická klinika, predn. akademik Jiri Divis.-Klinika
Pediatricke Chirurgie, Predn. Doc. P. V. Kafka.-Klinika Detske
Otorhinolaryngologie KU v Praze, predn. doc. Dr. J. Chvojka.
-Detske Oddeleni o nemocnice v Klatovech, predn. prim. Dr. K. Vlcek
-II. ustav Protopathologickou Anatomii KU, predn. prof. Dr.
V. Jedlicka.

(BRONCHI, neoplasms

endobronchial sarcoma in child, surg. (Cz))

DIVIS, Jiri; ZAK, Frantisek

Fibrous leiomyoma of the lungs in a child. Rozhl. chir. 35 no.9:531-532 Aug 56.

I. z II. chirurgické kliniky (predn. akad. J. Divis). z II. pathol. anat. ustavu (predn. prof. Dr V. Jedlicka)
(LEIOMYOMA, case reports
lungs, in child (Cz))
(LUNG NEOPLASMS, in inf. & child
leiomyoma (Cz))

KOCVARA, S.; HAHN, M.; CERVINKA, F.; ZAK, F.; HATALA, M.

Bacteriological examination in chronic prostatitis. Rozhl.
chir. 42 no.5:321-326 My '63.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel
prof. dr. B. Spacek, DrSc. II patologickoanatomicky ustav
fakulty vseobecneho Lekarstvi KU v Praze, prednosta prof. dr.
V. Jedlicka.

(PROSTATITIS) (STAPH INFECTIONS)
(STREPTOCOCCAL INFECTIONS)
(STREPTOCOCCUS FAECALIS)

MALEK, P.; ROKOS, J.; KOJECKY, Z.; KOLC, J.; PROCHAZKA, P.; ZAK, F.

The special role of tetracycline antibiotics in the prevention and therapy of acute pancreatitis. Rozhl. chir. 42 no.3:174-180 Mr '63.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel prof. dr. B. Spacek DrSc. II vnitřni klinika lekárske fakulty PU v Olomouci Biologický ústav CSAV v Praze, reditel akademik I. Malek. II patologickoanatomický ústav lek. fak. KU v Praze, prednosta prof. dr. V. Jedlicka.

(PANCREATITIS) (TETRACYCLINE) (LIPASE)
(ENZYME INHIBITORS) (CHLORTETRACYCLINE)

MALEK, P.; ROKOS, J.; KOJECKY, Z.; KOLC, J.; PRCHAZKA, P.; ZAK, F.

The special role of tetracycline antibiotics in the prevention and therapy of acute pancreatitis. Rozhl. chir. 42 no.3:174-180 Mr '63.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel prof. dr. B. Spacek DrSc. II vnitřni klinika lekárske fakulty PU v Olomouci Biologický ústav CSAV v Praze, reditel akademik I. Malek. II patologickoanatomický ústav lek. fak. KU v Praze, prednosta prof. dr. V. Jedlicka.

(PANCREATITIS) (TETRACYCLINE) (LIPASE)
(ENZYME INHIBITORS) (CHLORTETRACYCLINE)

278, 11,
POLAK, E.; LEVINSKY, L.; JEDLIČKA, J.; JEDLIČKA, V.; ZAK, F.

Operative closure of congenital esophagobronchial fistula in a woman with congenital pulmonary cysts & multiglandular insufficiency: nanosomia & geroderma produced by anovarium. Rozhl. chir. 36 no.7: 454-464 July 57.

1. Chirurgická klinika hygienické fakulty (prof. Dr. Emerich Polak), plicní klinika (prof. Dr. Jaroslav Jedlička), II, patologicko-anatomický ústav (prof. Dr. Václav Jedlička) Karlovy university v Praze.

(ESOPHAGUS, fistula

congen. esophagobronchial fistula with congen. pulm. cysts and nanosomia & geroderma caused by anovarium, surg. (Cz))

(BRONCHI, fistula

same)

(LUNGS, cysts

congen. with congen. esophagobronchial fistula & nanosomia & geroderma caused by anovarium, surg. (Cz))

(OVARIES, abnormal.

absence, causing nanosomia & geroderma, with congen. esophagobronchial fistula & congen. pulm. cysts surg. (Cz))

EXCERPTA MEDICA Sec 9 Vol 13/2 Surgery Feb 59

1103. MORPHOLOGICAL CHANGES IN THE MYOCARDIUM AFTER DEFIBRILLATION - Morfologické změny v myokardu po defibrilaci - Žák F. and Peleška B. II. Pathol.-Anat., Ústav KU; Ústav Klin. Exp. Chir., Praha - ROZHL. CHIR. 1957, 36/11 (727-730)

In experiments on dogs electrical defibrillation discharges were used with a potential of 2-3 kv. The discharges were applied transthoracically without an open chest and by direct application of the electrodes over the heart. The changes are described and were in general only slight. The most sensitive tissue to damage was the auricular appendage. Electrical defibrillation was applied only after 5-15 min. of fibrillation. The changes produced by defibrillation after a short period of fibrillation were not of such an extent as to significantly damage cardiac function. Myocardial damage increased with the duration of ventricular fibrillation and the frequency of defibrillatory discharges necessary to interrupt fibrillation.

ZNA, 1A

MALEK, P.; KOLC, J.; ZAK, Fr.

Possibility of specific blocking of the lymphatic system; pathogenesis & experimental treatment of tetanus. Cas. lek. cesk. 96 no.43:1369-1375 25 Oct 57.

1. Ustav klinické a experimentální chirurgie, reditel doc. Dr B. Spacek.
11. pathologickoanatomický ústav lékařské fakulty Karlovy university v Praze, přednosta prof. Dr. V. Jedlicka. K sedmdesátým narozeninám akademika A. Jiraska.

(TETANUS, exper.

eff. of specific blocking of lymphatic system with antitoxin (Cz))

(LYMPHATIC SYSTEM, in var. dis.

exper. blocking with antitoxin in exper. tetanus (Cz))

ZAK, F.; HERDEGEN, L.; KLEINT, Z.

Granular endobronchial pseudotumor, so-called Abrikosov myoblastic myoma, in a 14 year old boy. Cesk. pediat. 14 no.1:22-26 5 Jan 59.

1. II. patologicko-anatomicky ustav, prednosta prof. dr. V. Jedlicka
IV. detska interni klinika, prednosta prof. dr. F. Blazek. Klinika detske chirurgie ped. fak., prednosta doc. dr. V. Kafka, II. chirurgicka klinika, prednosta akad. J. Divis. F. Z., II. pat.-anat. ustav, U Nemocnice 4, Praha 2.

(BRONCHI, neoplasms

myoblastoma in adolescent boy, case report (Cz))

(MYOBLASTOMA, case reports

bronchial in adolescent boy (Cz))

MALEK, P.; KOLC, J.; ZAK, F.

Principles of two-stage lymphography. Cas. lek. cesk. 98 no.8:225-231
20 Feb 59.

1. Ustav klinicke a experimentalni chirurgie, Praha. II. patologicko-
anatomicky ustav lecarske fakulty KU, Praha. P. M., Praha-Krc, Budejo-
vicka 800.

(LYMPHATIC SYSTEM, radiography,
two-stage lymphography in animals (Cz))

MALEK, P.; KOLC, J.; ZAK, F.; PAVLIK, P.

The distribution of tetracycline antibiotics in the tissue of the kidneys in physiological and some pathological conditions. Cas.lek. cesk 101 no.7:193-198 16 F '62.

1. Ustav klinické a experimentální chirurgie, Praha-Krc, reditel prof. dr. B. Spacek. II patologickoanatomický ústav KU v Praze, prednosta prof. dr. V. Jedlicka.

(TETRACYCLINE metabolism)
(KIDNEY metabolism)
(KIDNEY DISEASES metabolism)

LHOTKA, J.; DANCŮV, I.; ZÁK, F.; PÁLEČEK, L.

On the treatment of breast cancer metastasizing to the axillary lymph glands. Sbor. lek. 66 no.11:332-335 N '64.

1. II. chirurgická klinika (prednosta prof. dr. J. Lhotka, CSc.), II. patologickoanatomický ústav (prednosta prof. dr. V. Jedlička, DrSc.) a radiologická klinika (prednosta prof. dr. V. Svab, DrSc.) fakulty všeobecného lékařství Univerzity Karlovy v Praze.

DYBAL, Kazimierz; JANICKI, Jerzy; ZAK, Franciszek

New trends in the design of installations for thermal treatment of metallurgical products. Problemy proj hut maszyn 10 no.11:345-349 N '62.

1. Biprohut, Gliwice.

ZAK, Frantisek

Morphological changes in the lymph nodes following use of some drugs in examination of the lymphatic system. Acta Univ. Carol. [med.] (Praha) 9 no.3:191-223 '63

1. II.patologickoanatomicky ustav fakulty vseobecneho lekarstvi University Karlovy v Praze; prednostai: MUDr. V.Jedlicka, DrSc .

ZAK, F.; MALEK, P.; ZASTAVA, V.; KOLO, J.

On the problem of prolonged retention of tetracycline antibiotics in the body in pathological states. Cas. lek. cesk. 102 no.32/33:902-906 16 Ag '63.

1. II. patologickoanatomicky ustav fakulty vseobecneho lekarstvi
KU v Praze, prednosta prof. dr. V. Jedlicka Ustav klinicke
a experimentalni chirurgie v Praze, reditel prof. dr. B. Spacek.
(TETRACYCLINE) (CALCIFICATION) (CALCULI)
(MUSCLES) (MYOCARDIUM)

MALEK, P.; KOLC, J.; ZAK, F.

Distribution of tetracycline antibiotics in the body in shock states. Kozhl. chir. 42 no.3:187-191 Mr '63.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel prof. dr. B. Spacek, DrSc. II patologickoanatomicky ustav fakulty vseobecneho lekarstvi KU v Praze, prednosta prof. dr. V. Jedlicka.

(TETRACYCLINE) (SHOCK, TRAUMATIC) (MICE)
(RABBITS) (DOGS) (SHOCK, HEMORRHAGIC)
(CHLORTETRACYCLINE) (OXYTETRACYCLINE)

MALEK, P.; ZASTAVA, Vl.; KOLC, J.; ZAK, Fr.

On the possible diagnosis of malignant tumors by means of tetracycline antibiotics. Cas. lek. cesk. 102 no.1:16-20 4 Ja '63.

1. Ustav klinicke a experimentalni chirurgie v Praze, reditel prof.
dr. B. Spacek, DrSc. — II patologickoanatomicky ustav fakulty vseobecneho
lekarstvi KU v Praze, prednosta prof. dr. V. Jedlicka, DrSc.
(NEOPLASMS) (TETRACYCLINE) (DIAGNOSIS)

CZECHOSLOVAKIA

ZAK, F., MALEK, P., BASTAVA, V., and KOLO, J., Second Institute of Pathological Anatomy (II. patologickoanatomický ústav), Faculty of General Medicine (Fakulta všeobecného lékařství), Charles University, Prague, (Prof. Dr V. JEDLIČKA, director) and Institute of Clinical and Experimental Surgery (ústav klinické a experimentální chirurgie), Prague, (Prof. Dr B. SPÁČEK, director) [individual affiliations cannot be determined].

"Prolonged Persistence of Tetracycline Antibiotics in the Organism under Pathological Conditions"

Prague, Časopis Lékařů Českyh, Vol CII, No 32/33, 16 August 1963, pp 902-906.

Abstract [Authors' English summary, modified]: Discussed is the prolonged fixation of tetracycline antibiotics (TA) under pathological conditions. Under physiological conditions the TA are retained only in biologically active bone marrow. Under pathological conditions prolonged fluorescence is found also in tissues liable to calcification. A very intensive trapping and retention occurs in the striated skeletal and cardiac muscles. After discussing various specific cases the authors conclude that the fixation is caused by the formation of stable chelate TA complexes in tissues with bivalent cations, particularly cations of calcium. This phenomenon is discussed from the morphological viewpoint. Forty-two references, including 25 Czech.

1/1

OLSANSKY, Cestmir; VYCHYTOVA, Hana; ZAK, Frantisek; CHLUP, Zdenek

Effect of milk acidity and its standardization on the
Gruyere cheese quality; a cheese maker's prognosis. Pt.5.
Prum potravin 14 no.2:85-89 F '63.

1. Vyzkumny ustav mlekarensky, Praha, pracoviste Zeletava
(for Olsansky). 2. Lacrum, n.p., Brno, zavod Zeletava
(for Vychytova). 3. Vychodoceske mlekarny, n.p., Pardubice
(for Zak). 4. Vychodoceske mlekarny, n.p., zavod Kruh u
Jilemnice (for Chlu:).

ELEFANT, E.; JELINEK, J.; HOLANOVA, L.; ZAK, F.

On the etiology of anuria in newborn infants. Cesk. pediat. 17 no.9:
815-818 S '62.

1. III. detska klinika Detske fakultni nemocnice v Praze, prof. dr.
O. Vychytil II. patologickoanatomicky ustav University Karlovy v
Praze, prednosta prof. dr. V. Jedlicka.

(INFANT NEWBORN DISEASES) (ANURIA)

KOCVARA, Svatopluk; MALEK, Prokop; ZAK, Frantisek; PAVLIK, Frantisek

The protective effect of chlortetracycline on the hypoxic kidney.
Rozhl. chir. 41 no.7:458-463 J1 '62.

I. Ustav klinicke a experimentalni chirurgie, Praha, reditel prof.
dr. B. Spacek. II. patologicko-anatomicky ustav University Karlovy,
Praha, ved. prof. dr. V. Jedlicka.

(KIDNEY blood supply) (ISCHEMIA exper)
(CHLORTETRACYCLINE pharmacol) (RENAL ARTERY surg)

ZAK, FR.

CZECHOSLOVAKIA

J. HALEK, VI. RACHVA, J. KOLC and Z. KUK, Institute for Clinical and Experimental Surgery (Ustav klinicke a experimentálni chirurgie) Chief (reditel) Prof. Dr. J. STACH, DrSc; and Second Department of Pathological Anatomy of Medical Faculty, Charles University (II. patologickeanatomicky ustav fakulty vscobecného lékařství KU [Karlovy University]) Head (Prednosta) Prof. Dr. V. JEDLIČKA, DrSc; Prague

"Regarding the Possibility of Diagnosing Malignant Tumors with the Tetracycline Antibiotics."

Prague, Časopis Lékařů Českých, Vol 102, No 1, 4 Jan 1963; pp 16-20.

Abstract [English summary modified]: After reviewing topic, authors summarize their results (no data presented) which indicate that tetracyclines do not selectively accumulate in tumors to permit e.g. diagnosis of gastric tumors by fluorescence microscopy of irrigation smear; tetracyclines accumulate in necrotic tissues and in those undergoing regressive changes, primarily in histiocytes whether cause of regression-necrosis be tumorous or not. Only in murine ascites tumor did authors find fluorescence of actual tumor cell. Many human tissues

2/1

LHOTKA, J.; BOREK, Z.; CHMEL, K.; ZAK, F.

Contribution to the problem of reticulum-cell sarcomas of the mediastinum. Rozhl. chir. 41 no.5:336-341 My '62.

1. II. chirurgická klinika FVL University Karlovy v Praze, predn.
prof. dr. J.Lhotka II. patol.-anatom. ustav University Karlovy v Praze,
prednosta prof. dr. V. Jedlicka.
(SARCOMA RETICULUM CELL surg)
(MEDIASTINUM neopl)

KOCVARA, Svatopluk; ZAK, Frantisek

Replacement of the ureter with prostheses of plastic materials.
Rozhl. chir. 41 no.7:441-449 J1 '62.

1. Ustav klinicke a experimentalni chirurgie, Praha, red. prof. dr.
B. Spacek. — II. patolo gicko-anatomicky ustav fakulty vseobecneho
lekarstvi University Karlovy, Praha, ved. prof. dr. V. Jedlicka.
(URETER surgery)

ZAK, L.A., CHIBISOV, V.V., NAGORNYI, N.M., ORLOVA, I.A., red., KORKINA, A.I., tekhn. red.

(Test programs for the BESM-2 computer) Testovyye programmy dlia mashiny BESM-2.
Moscow, Computing Center AN SSSR., 1961 24p.

SPURNY, Zdenek; ZAMEČNIK, Jiri; HRUSKA, Jiri

Chemical dosimeter in ionizing radiotherapy. Possibility of use. Česk.
rentg. 13 no.3:188-191 June 59.

1. Ústav jaderného výzkumu CSAV, doz. odd., vedoucí prof. dr. P. Behounek
Onkologický ústav v Praze, ředitel MUDr. F. Vadrná. Z.S., Praha 8, Onkolog.
ústav Praha 8, Na Truhlárce 100.

(RADIOTHERAPY, appar. & instruments
dosimeter, chem. (Cz))

ZAK, G.

Pharmacopoeic examinations on heart and digestive tract of *Leptocoris kinshu*. I. Effects of alkaloids, glucosides and some other agents. A. Frohlich and G. Zak. Magyar Biol. Kutató Intézet Munkái 8: 267-73 (1934).—Scrophanthin-g (1:600) stopped heart activity. Crystal violet (1:100,000, 1:200,000) started peristaltic movement but stopped the heart even at 1:10⁶. Camphor (1:10,000) again started the heart but halted peristalsis. Physostigmine salicylate (1:600) decreased the heart rate. Acetylcholine had almost no effect on the heart. Atropine and physostigmine contracted (1:3000) the intestinal system, but camphor overcame this contraction, as well as that caused by acetylcholine (1:10,000, 1:100,000). Adrenaline stopped peristalsis. Chloroform (1:1000) had no effect, and papaverine (1:100) overcame the effects of pilocarpine. II. Effects of alkali and alkaline earth chlorides and magnesium and oxalate ions. *Ibid.* 275-80.—KCl and NH₄Cl decreased the tone of heart and intestinal movements. RbCl and CsCl caused arrhythmia and stopped peristalsis. NaCl, LiCl and CaCl₂ had slighter effects. FeCl₃ caused stronger arrhythmia. BaCl₂ stopped the heart in 30-40 min. and first activated and then stopped peristalsis. MgCl₂ had the same effect in 110 min. Oxalate had for 230 min. no disturbing effects, then stopped the heart in diastole and halted peristalsis. S. S. de Finlay

ASS-ELA METALLURGICAL LITERATURE CLASSIFICATION

112

MALYAROV, V.; ZAK, G.; AGAFONOV, Ye.

Powder metallurgy. Prom.koop. no.6:19-22 Je'55. (MLBA 8:11)

1. Glavnyy inzhener arteli "8-ya mekhanicheskaya" Nauchno-issledovatel'skogo instituta mashinostroyeniya (for Malyarov) 2. Nachal'nik eksperimental'nogo tsakha (for Zak) 3. Nachal'nik tsakha poroshkovoy metallurgii (for Agafonov)

(Powder metallurgy)

COUNTRY : USSR
CATEGORY : Plant Diseases - Fruit and Veg.
ABS. JOUR. : RZBiol., No. 19 1958, No. 87309
AUTHOR : Zak, G. A.
INST. : Kuybyshev Institute of Land-Reclamation
TITLE : Some Regularities of Plant Immunity
ORIG. PUB. : Izv. Kuybyshevsk. inzh.-melior. in-ta, 1955,
11, 105-116
ABSTRACT : No abstract.

ZAK, G. A.

GLIYAROVSKIY, N.F., and ZAK, G. A. "On the Question of the Physiological Basis of Resistance of Spring Wheat to Punt (*Tilletia tritici* Wint.)," Nauchno-Agromoricheskii Zhurnal, vol. 7, no. 5-6, 1930 pp. 379-386. 20 J82

So: Sira S1-90 53, 15 Dec 1953


BC

Hardening of plants in dry soil under irrigation conditions. I. Effect of hardening on growth and formative processes. N. S. Pavlov and G. A. Eiz. II. Effect on photosynthesis and yield. N. S. Pavlov (Odesk. and Acad. Sci. U.S.S.R., 1958, 12, 49-53, 55-58).—I. Drought-hardening of summer wheat consistently lowers the growth rate to extents which vary with the period of growth at which hardening takes place. II. Hardened plants showed diminished photosynthetic activity and yield, the effect being greatest when hardening occurs in the early stages of growth. A. G. P.

ZAK, G. A.

ZAK, G. A. "On the Fundamentals of Phytopathological Characteristics of Varieties and on the Significance of Artificial Inoculation in Selection," Doklady Vsesoiuznoi Akademii Sel'skokhoziaistvennykh Nauk imeni V. I. Lenina, no. 6, 1940, pp. 12-14. 20 Akl

So: Sira - Si - 90 - 53, 15 December 1953



1ST AND 2ND COLUMNS		3RD AND 4TH COLUMNS		5TH AND 6TH COLUMNS		7TH AND 8TH COLUMNS		9TH AND 10TH COLUMNS		11TH AND 12TH COLUMNS		13TH AND 14TH COLUMNS		15TH AND 16TH COLUMNS		17TH AND 18TH COLUMNS		19TH AND 20TH COLUMNS		21ST AND 22ND COLUMNS		23RD AND 24TH COLUMNS		25TH AND 26TH COLUMNS		27TH AND 28TH COLUMNS		29TH AND 30TH COLUMNS		31ST AND 32ND COLUMNS		33RD AND 34TH COLUMNS		35TH AND 36TH COLUMNS		37TH AND 38TH COLUMNS		39TH AND 40TH COLUMNS		41ST AND 42ND COLUMNS		43RD AND 44TH COLUMNS		45TH AND 46TH COLUMNS		47TH AND 48TH COLUMNS		49TH AND 50TH COLUMNS		51ST AND 52ND COLUMNS		53RD AND 54TH COLUMNS		55TH AND 56TH COLUMNS		57TH AND 58TH COLUMNS		59TH AND 60TH COLUMNS		61ST AND 62ND COLUMNS		63RD AND 64TH COLUMNS		65TH AND 66TH COLUMNS		67TH AND 68TH COLUMNS		69TH AND 70TH COLUMNS		71ST AND 72ND COLUMNS		73RD AND 74TH COLUMNS		75TH AND 76TH COLUMNS		77TH AND 78TH COLUMNS		79TH AND 80TH COLUMNS		81ST AND 82ND COLUMNS		83RD AND 84TH COLUMNS		85TH AND 86TH COLUMNS		87TH AND 88TH COLUMNS		89TH AND 90TH COLUMNS		91ST AND 92ND COLUMNS		93RD AND 94TH COLUMNS		95TH AND 96TH COLUMNS		97TH AND 98TH COLUMNS		99TH AND 100TH COLUMNS																																																																																																					
1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100	
101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200	
201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300	
301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400	
401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461		462		463		464		465		466		467		468		469		470		471		472		473		474		475		476		477		478		479		480		481		482		483		484		485		486		487		488		489		490		491		492		493		494		495		496		497		498		499		500	
501		502		503		504		505		506		507		508		509		510		511		512		513		514		515		516		517		518		519		520		521		522		523		524		525		526		527		528		529		530		531		532		533		534		535		536		537		538		539		540		541		542		543		544		545		546		547		548		549		550		551		552		553		554		555		556		557		558		559		560		561		562		563		564		565		566		567		568		569		570		571		572		573		574		575		576		577		578		579		580		581		582		583		584		585		586		587		588		589		590		591		592		593		594		595		596		597		598		599		600	
601		602		603		604		605		606		607		608		609		610		611		612		613		614		615		616		617		618		619		620		621		622		623		624		625		626		627		628		629		630		631		632		633		634		635		636		637		638		639		640		641		642		643		644		645		646		647		648		649		650		651		652		653		654		655		656		657		658		659		660		661		662		663		664		665		666		667		668		669		670		671		672		673		674		675		676		677		678		679		680		681		682		683		684		685		686		687		688		689		690		691		692		693		694		695		696		697		698		699		700	
701		702		703		704		705		706		707		708		709		710		711		712		713		714		715		716		717		718		719		720		721		722		723		724		725		726		727		728		729		730		731		732		733		734		735		736		737		738		739		740		741		742		743		744		745		746		747		748		749		750		751		752		753		754		755		756		757		758		759		760		761		762		763		764		765		766		767		768		769		770		771		772		773		774		775		776		777		778		779		780		781		782		783		784		785		786		787		788		789		790		791		792		793		794		795		796		797		798		799		800	
801		802		803		804		805		806		807		808		809		810		811		812		813		814		815		816		817		818		819		820		821		822		823		824		825		826		827		828		829		830		831		832		833		834		835		836		837		838		839		840		841		842		843		844		845		846		847		848		849		850		851		852		853		854		855		856		857		858		859		860		861		862		863		864		865		866		867		868		869		870		871		872		873		874		875		876		877		878		879		880		881		882		883		884		885		886		887		888		889		890		891		892		893		894		895		896		897		898		899		900	
901		902		903		904		905		906		907		908		909		910		911		912		913		914		915		916		917		918		919		920		921		922		923		924		925		926		927		928		929		930		931		932		933		934		935		936		937		938		939		940		941		942		943																																																																																																																			

BA.

Bacteria breaking down aluminosilicates. V. G. Aleksandrov and G. A. Zak. *Mikrobiologiya*, 1950, 18, 97-104. By culture on silicate-agar media with added inert aluminosilicates two bacterial species capable of breaking down aluminosilicates were isolated. *Bacillus mucilaginosus*, subsp. *silicus* and *B. megatherium*, Hooley. During breakdown of aluminosilicates K is liberated, and in soil becomes available for vegetable use. Hence addition of these bacterial cultures to soil at time of sowing has increased the yield of barley and maize. D. H. SMYTH.

Kyrgyzst. Agric. Inst., Dept. Agrochemistry
and Dept. Plant Physiol.

1. ZAK, G. A.
2. USSR (600)
4. Agriculture
7. Tree and field shelter belt diseases and insect pests. Kuib'yshv, Oblastnoe izdatel'stvo, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified

ZAK, Grigoriy Gavrilovich; RUBINSHTEYN, Lev Isifovich; GORANSKIY,
G.K., kand. tekhn. nauk, red.; BARABANOVA, Ye., red. izd.-
va; VOLOKHANOVICH, I., tekhn. red.

[Machinery designer's handbook] Spravochnik konstruktora
(mashinostroitelia) Minsk, Izd-vo Akad. nauk BSSR, 1963.

567 p.

(MIRA 16:5)

(Machinery—Design and construction)

ZAK, Genrikh Lazarevich, kand.tekhn.nauk; KHASKIN, S.A., red.; OTOCHEVA,
M.A., red.izd-va; SHLIKHT, A.A., tekhn.red.

[Self-purification of water reservoirs; principles underlying
the regulation of hydrological and sanitary-engineering calcula-
tions.] Samoochishchanie vodoemov; osnovy ratsionalizatsii gidro-
logicheskikh i sanitarno-tekhnicheskikh raschetov. Moskva, izd-vo
M-va kommun.khoz.RSFSR, 1960. 159. (MIRA 13:5)
(Water--Purification)

ZAK, G.I. inzh.

Suspension bridge made of prestressed reinforced concrete.
Transp. stroi. 9 no. 4:50-51 Ap '59. (WIRA 12:6)
(Belgium--Bridges, Concrete)

B'YAZHI, P. [Biaggi, P.]; LEYCHIK, V.M. [translator]; ZAK, G.I. [translator];
DMITRIYEVA, L.N., red.izd-va; BERKSLAVSKAYA, L.Sh., tekhn.red.;
KOROVENKOVA, Z.A., tekhn.red.

[Conveyers with rubber belts] Konveiery s rezinovoi lentoi. Moskva,
Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1959. 293 p.
Translated from the French. (MIRA 13:12)
(Conveying machinery)

ZAK, G.I., insh.

Underpass constructed on the nonintersected loop in Berlin.
(from "Die Bautechnik", no.5, 1958) Transp.stroi. 9 no.3:55-
56 Hr '59. (MIRA 12:4)

(Berlin--Underpasses)

BODRIKOV, I.M., ed.; GOLOVANOV, A.L., redaktor; BEGICHEV, V.G., inzhener;
BEHESLAVSKIY, Ya.M., inzhener; ZAK, G.I., inzhener; SOLOGUB, A.D., inzhener;
TANTSMAN, A.I., inzhener; TIKHONOVA, E.V., inzhener.

[Progressive technology in the building materials industry of the Ministry
of Railroad Transportation] Peredovaya tekhnologiya v promyshlennosti
stroitel'nykh materialov MPS. Moskva, Gos. transp. zhel-dor. izd-vo, 1952.
62 p. (MLRA 6:5)

(Building materials)

ZAK, G. I.

Vodostoki. Osnovy ratsional'nogo proektirovaniia i rascheta (Kuno'fe. Principles of efficient planning and computation). 2-o izd. Moskva, Izd-vo M-vn kommun. khoz-va RSFSR, 1952. 208 p.

SO: Monthly List of Russian Accessions, Vol 6, No. 3, June 1953

ZAI, G.L., kandidat tekhnicheskikh nauk; KOGAN, A.S., kandidat tekhnicheskikh nauk, dotsent, redaktor; SOXOL'SKIY, I.F., redaktor; GUROV, O.A., tekhnicheskiiy redaktor

[Calculation tables for sewer main of various shapes] Tablitsy dlia rascheta kanalizatsionnykh kollektorov razlichnykh profilei. Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR, 1953. 213 p. [Microfilm] (MLRA 7:10)
(Sewerage)

ZAK, G.L.

Determination of the runoff time for rain water. Vod. i san. tekhn.
no.11:32-33 H '61. (MIRA 15:6)
(Runoff)

ZAK, G. L.

Homograms for calculating water flow. Vod. 1 san.tekh.no.4:20-23
Jl '55. (MLRA 8:12)

(Hydraulics--Tables, calculations, etc.)

ZAK, G.M.; AGAFONOV, Ye.A.; MALYAROV, V.Z.; TIMOKHINA, V., redaktor;
~~ATAPOV, M.~~, tekhnicheskiy redaktor

[Metalceramics in the manufacture of metal parts for consumer products] Metallokeramika v proizvodstve metallicheskih izdelii shirokogo potrebleniia. Moskva, Vses. kooperativnoe izd-vo, 1956.
53 p. (MIRA 10:2)
(Powder metallurgy)

ZAK, G.Ye. (Editor)

"Physics of Clouds," Trudy Tsentral'noy Aerologicheskoy Observatii (Works of the Central Aerological Observatory), No 7, 1952, Leningrad (Editor: Ye. G. Zak).

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963510003-3

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963510003-3"

POL/43-59-11/12-8/33

18(5)

AUTHOR: Zak, Hanna, Master of Engineering

TITLE: The Application of Vacuum in Metallurgy

PERIODICAL: Wiadomości hutnicze, 1959, Nr 11-12, pp 355-360
(Poland)

ABSTRACT: The article discusses the advantages of vacuum degasifying of metals in the liquid state and, in general terms, the structure and operation of induction and arc vacuum furnaces. The vacuum method is developing and spreading rapidly in all industrialized countries in view of the fact that it gives higher quality products. The amount of gas contained in cold metal is very small considering its relationship by weight to the metal. But if it were separated from the compounds (mainly oxygen and nitrogen) which it forms, it would be found to be of about the same volume (at normal temperature and pressure) as the metal in which it is contained. Such large quantities of gas obviously have a deteriorating influence on metal qualities. Hence ✓

Card 1/4

POL/43-52-11/12-3/33

The Application of Vacuum in Metallurgy

the imperative need to reduce gas content, especially in metals destined for special purposes. Known since the 19th century, the vacuum process was first used on an industrial scale during the WW 1 by the German firm Heraeus of Hanau and has developed rapidly since 1950 with the introduction of high output vacuum pumps. The application of vacuum techniques during melting and casting gives the following advantages: the gas content is much lower; the content of non-metallic bodies is reduced by eliminating direct contact with air and slag; ingots are healthy and compact since no gas is given off during cooling, thus eliminating bubbles and blisters; There is less waste of metal and more accuracy in obtaining the exact chemical composition required; finally, dangerous impurities are removed by evaporation (e.g. copper refining to remove lead, zinc, tin, etc.). There follows a description of induction and arc furnaces at present in common

✓

Card 2/4

POB/43-59-11/12-8/33

The Application of Vacuum in Metallurgy

use. (Figs 1-4). Arc furnaces have the following advantages over induction furnaces: no refractory materials are needed; internal segregation and pores are at a minimum since the ingot cools gradually; larger ingots may be obtained; and finally production costs are lower. But modern industry often demands degasifying of much larger quantities of metal than can be held in these vacuum furnaces. This problem is solved by the use of vacuum chambers which permit the degasifying of steel processed in normal furnaces. There follows a general description of the workings of vacuum chambers (see Figs 5-10). The author concludes by stating that one of the chief advantages of the vacuum process is the reduction of hydrogen content, often up to 60%. The metal thus obtained has much less tendency to flaking, has better mechanical properties and is much better suited to plastic treatment. Though the costs involved are significant, the advantages are


Card 3/4

✓

POL/43-59-11/12-8/33

The Application of Vacuum in Metallurgy

so great, that for general purposes it is profitable to process in vacuum chambers forging ingots of over 100 tons. Induction and arc vacuum furnaces on the other hand, are best suited for the production of refractory alloys and steel for the airplane industry and for roller bearings. There are 10 diagrams and 9 references, 2 of which are Polish, 1 Soviet, 1 German and 5 English.



Card 4/4

POL/39-25-11-10/26

18(5)
AUTHOR:

Zak, H., and Paczula, B., Mechanical Engineers

TITLE:

Theoretical and Practical Principles of Production of Low-Carbon Ferrochrome (Teoretyczne i praktyczne podstawy produkcji niskowęglowego żelazochromu)

PERIODICAL:

Hutnik, 1958, Vol 25, Nr 11-12, pp 481-486 (Poland)

ABSTRACT:


Ferrochromes are used for adding chrome to steels in order to improve their resistance to corrosion, acids and high temperatures. Steels, the carbon content of which does not exceed 1% of the chrome content have the highest resistance to corrosion. The methods used at present for the production of low-carbon ferrochrome in Poland and abroad require very high temperatures, are complicated and costly. The Institute of Iron Metallurgy, Gliwice, has been studying, since 1956, methods for the production of low-carbon ferrochrome from a mixture of high-carbon ferrochrome and metallic oxides heated in vacuum below the melting point. The theoretical considerations and laboratory research were based

Card 1/3

POL/39-25-11-10/26

Theoretical and Practical Principles of Production of Low-Carbon Ferrochrome

on the use of a ferrochrome with about 60% Cr and 3 to 8% C. At temperatures above 1000°C, the alloy contains double chrome and ferrous oxides, the heats of formation and the entropies of which are not known. The thermodynamic calculations were made for the following reactions:



The decarbonization with ferrous oxides takes place at lower temperatures, but reduces the chrome content in the final product. The decarbonization with chrome oxides enriches the final product with chrome. The laboratory research has shown that heating a mixture of high-carbon ferrochrome and chrome oxide in a vacuum chamber can produce at a pressure of about 0.1 mm Hg and a temperature of 1300°C a ferrochrome with 0.02% carbon content. The vacuum process is uncomplicated ✓

Card 2/3


POL/89-25-11-10/26

Theoretical and Practical Principles of Production of Low-Carbon
Ferrochrome

and relatively cheap and gives a big yield. Its product would help to improve the resistance of chrome steel to acids without adding titanium. An industrial application of this process would result in economy of raw materials and better product. There are 5 tables, 2 diagrams, 2 graphs and 11 references, 4 of which are Polish, 3 Soviet, 1 German and 3 English.

ASSOCIATION: IMŻ - Gliwice (Institute of Iron Metallurgy - Gliwice)

Card 3/3



ZAK, Hanna, dr inz.

Development prospects for vacuum degassing methods of
steel in Polish and foreign steelworks. Wlad hut 15
[i.e. 20] no. 2: 42-45 P '64.

ZAK, Hanna, mgr inz.

Application of the vacuum in metallurgy. Wiad hut 15
no.11/12:355-360 N-D '59.

Distr: 4E20

3
 ✓ Nitriding of ferrochrome. H. Zak and Z. Kulicki
 (Inst. Metalurgii, Zabrze, Gdansk, Poland). *Prace Inst.
 Hutnic.* 12, No. 1, 9-10 (1960).—The expts. on nitriding of
 ferrochrome briquets prep'd. by sintering in a vacuum furnace
 were described. The initial chem. compn. of ferrochrome
 granules was Cr 56.80, Mn 0.15, Al 0.037, Si 0.41, and C
 3.08%, or Cr 59.20, Si 0.24, Mn 0.15, Al 0.038, and C 2.98%,
 depending upon the size of the granules; however, as a re-
 sult of Cr_2O_3 addn., the content of C was reduced to 0.02%
 in either fraction as det'd. in the briquets after the sinter-
 ing process. The effect of temp., 800-1300°, and time,
 0.5-3 hrs., on the nitriding process of ferrochrome was
 exam'd. In another series of expts. the nitriding of metallic
 Cr contg. Cr 86-9, Al 0.1-0.5, and C 0.03-0.05% has been
 exam'd. The optimum temp. and granule size for nitriding
 of ferrochrome was 1100° and 0.5 mm., resp. Under these
 conditions and N pressure in the furnace of 0.05 abs. atm.
 the N concn. in ferrochrome after 3 hrs. reached 6.6%.
 Although metallic Cr combined with N more readily under
 the conditions studied, its use as a charged material for
 alloying of steel with N should be limited to cases when the
 low-C ferrochrome was unavailable. W. Tomaszczak

4
 17JC(JD)
 1

ZAK, H.

Vacuum decarburization of ferrochromes. H. Zak and B. Paczula, *Prace Inst. Hutniczych* 11, 75-81(1959).—A method of production of Fe-Cr alloy contg. C < 0.07% by vacuum annealing of a solid mixt. consisting of high-C ferrochrome and metal oxides at high temp., was developed. The expts. involved over 100 annealing tests, the variable parameters being: mixt. compn., time and temp. of annealing, grain size of Fe-Cr, and the shape of specimen. The optimum conditions were specified. Grain size of Fe-Cr should be < 0.5 mm. The charge of metal oxides should correspond to the O amt. required for theoretical conversion of all C contained in ferrochrome into CO. The mixt. should be annealed at 1800° and under the pressure of 0.5 mm. Hg., the time being expdly. established for the given conditions of the process. The evapn. losses of Cr were low and the obtainable product contg. C 0.03% was ready for use in the steel-melting process without any addnl. treatment.

W. Tomaszewski

ZAK, Hanna, dr inż.; KULINSKI, Zdzisław, mgr inż.

The Ugine-Perrin method as applied to the production of ferroalloys. Wiad hut 19 no. 5:111-114 My '63.

ZAK, Hanna

More speed in the development of the application of vacuum
metallurgy. Przegl techn no.33:4,5 17 Ag '60.

S/137/62/000/003/015/191
A006/A101

AUTHORS: Zak, H., Kuliński, Z.

TITLE: Decarbonization in a vacuum and nitriding of ferromanganese

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 3, 1962, 24, abstract 3V166
("Prace Inst. hutn.", 1961, v. 13, no. 1, 27-36, Polish; Russian
and English summaries)

TEXT: A method was developed to obtain Fe-Mn with low C content (about 0.25%) and N content > 3.3% which could act as an alloying admixture in melting low-carbon Cr-Mn steel, containing N₂. The authors investigated the effects of pressure, temperature, time, and grain size of the initial material on the reaction process of decarbonization and nitriding. Roasting for 3 hours at 1,100°C and pressure < 1 mm Hg of crushed Fe-Mn (< 1 mm) containing 1% C, with addition of about 9% cinder, yields a product containing about 0.25% C. Nitriding of this product yields best results when heated to 900°C at 1 atm pressure; the N content in Fe-Mn is about 5%.

D. Kashayeva

[Abstracter's note: Complete translation]

Card 1/1

ZAK, H.

ZAK, H. Aluminothermic method of casting steel. Bliuletyn. p. 42.
Vol. 21, no. 11, Nov. 1956.
HUTNIK. Katowice Poland

SOURCE: East European Accessions List (EEAL) LC Vol. 5, No. 6, June 1956

POL/39-25-11-10/26

18(5)
AUTHOR:

Żak, H., and Paczuła, B., Mechanical Engineers

TITLE:

Theoretical and Practical Principles of Production of Low-Carbon Ferrochrome (Teoretyczne i praktyczne podstawy produkcji niskowęglowego żelazochromu)

PERIODICAL:

Hutnik, 1958, Vol 25, Nr 11-12, pp 481-486 (Poland)

ABSTRACT:





Ferrochromes are used for adding chrome to steels in order to improve their resistance to corrosion, acids and high temperatures. Steels, the carbon content of which does not exceed 1% of the chrome content have the highest resistance to corrosion. The methods used at present for the production of low-carbon ferrochrome in Poland and abroad require very high temperatures, are complicated and costly. The Institute of Iron Metallurgy, Gliwice, has been studying, since 1956, methods for the production of low-carbon ferrochrome from a mixture of high-carbon ferrochrome and metallic oxides heated in vacuum below the melting point. The theoretical considerations and laboratory research were based

Card 1/3

POL/39-25-11-10/26

Theoretical and Practical Principles of Production of Low-Carbon Ferrochrome

on the use of a ferrochrome with about 60% Cr and 3 to 8% C. At temperatures above 1000°C, the alloy contains double chrome and ferrous oxides, the heats of formation and the entropies of which are not known. The thermodynamic calculations were made for the following reactions:



The decarbonization with ferrous oxides takes place at lower temperatures, but reduces the chrome content in the final product. The decarbonization with chrome oxides enriches the final product with chrome. The laboratory research has shown that heating a mixture of high-carbon ferrochrome and chrome oxide in a vacuum chamber can produce at a pressure of about 0.1 mm Hg and a temperature of 1300°C a ferrochrome with 0.02% carbon content. The vacuum process is uncomplicated ✓

Card 2/3


Theoretical and Practical Principles of Production of Low-Carbon
Ferrochrome

POL/39-25-11-10/26

and relatively cheap and gives a big yield. Its product would help to improve the resistance of chrome steel to acids without adding titanium. An industrial application of this process would result in economy of raw materials and better product. There are 5 tables, 2 diagrams, 2 graphs and 11 references, 4 of which are Polish, 3 Soviet, 1 German and 3 English.

ASSOCIATION: IMŻ - Gliwice (Institute of Iron Metallurgy - Gliwice)

Card 3/3



ZAK, Hanna, dr inz.; KULINSKI, Zdzislaw, mgr inz.

Teeming of iron alloys. Wiad hut 18 no.10:295-297 0 '62.

ZAK, Hanna, dr inz.

The technological conditions and the reaction process of
nitrogen hardening of chromium. Przegl mech 22 no.3:88
10 F '63.

1. Katedra Metalografii i Obróbki Ciepłej, Akademia Górniczo-
Hutnicza, Kraków.

ZAK, Hanna, dr. inz.

Vacuum furnaces for melting steel and alloys. Biul inf inst
metal zel no.2/3:11-15 '63.

1. Institute of Iron Metallurgy, Gliwice.

RADZWICKI, K.; ZAK, H.

Production of vacuum decarbonized and nitrogen hardened ferro-alloys. Biul inf inst metal zel no.1:5-8 '63.

1. Institute of Iron Metallurgy, Gliwice.